

Patient Information	Specimen Information	Client Information
<b>CHAVES, MARCELO</b> <b>DOB: 01/03/1970    AGE: 45</b> Gender: M Phone: NG Patient ID: P6490271 Health ID: 8573014054907036	Specimen: TM663086M Requisition: 0006502 Lab Ref #: 3863669  07/29/2015 / 14:02 EDT Collected: 07/30/2015 / 05:45 EDT Received: 08/05/2015 / 02:14 EDT Reported:	Client #: 66007420    09SS999 CUNNINGHAM, RUTHANN ANALYTE PHYSICIAN GROUP Attn: NORTH FLORIDA 328 S JEFFERSON ST STE 770 CHICAGO, IL 60661-5646

Test (Req #3863669)	Value	Range	Result	Test Date	Results Date
<b>HIV 1 RNA</b>	Not Detected	Not Detected	Negative	07/29/2015	08/05/2015
<b>Chlamydia</b>	NOT DETECTED	NOT DETECTED	Negative	07/29/2015	08/05/2015
<b>Hepatitis B</b>	NON-REACTIVE	NON-REACTIVE	Negative	07/29/2015	08/05/2015
<b>Hepatitis C</b>	NON-REACTIVE	NON-REACTIVE	Negative	07/29/2015	08/05/2015
<b>Hepatitis C Quantitative</b>	0.03	<1.00	Negative	07/29/2015	08/05/2015
<b>Gonorrhea</b>	NOT DETECTED	NOT DETECTED	Negative	07/29/2015	08/05/2015
<b>Herpes Simplex Virus Type I</b>	<0.80	<0.90	Negative	07/29/2015	08/05/2015
<b>Herpes Simplex Virus Type II</b>	<0.70	<0.90	Negative	07/29/2015	08/05/2015
<b>HIV-1/2 4TH GEN</b>	NON-REACTIVE	NON-REACTIVE	Negative	07/29/2015	08/05/2015
<b>Syphilis</b>	NON-REACTIVE	NON-REACTIVE	Negative	07/29/2015	08/05/2015

Test Name	In Range	Out Of Range	Reference Range	Lab
HEPATITIS B SURFACE				TP
ANTIGEN W/REFL CONFIRM				
HEPATITIS B SURFACE				
ANTIGEN	NON-REACTIVE		NON-REACTIVE	
HEPATITIS C ANTIBODY	NON-REACTIVE		NON-REACTIVE	TP
SIGNAL TO CUT-OFF	0.03		<1.00	
HSV 1/2 IGG,TYPE SPECIFIC				TP
AB HERPESELECT				
HSV 1 IGG TYPE SPECIFIC				
AB		<0.80 H		
HSV 2 IGG TYPE SPECIFIC				
AB		<0.70 H		
	Value	Interpretation		
	-----	-----		
	<0.90	Negative		
	0.90-1.10	Equivocal		
	>1.10	Positive		

This assay utilizes recombinant type-specific antigens

to differentiate HSV-1 from HSV-2 infections. A positive result cannot distinguish between recent and past infection. If recent HSV infection is suspected but the results are negative or equivocal, the assay should be repeated in 4-6 weeks. The performance characteristics of the assay have not been established for pediatric populations, immunocompromised patients, or neonatal screening.

CHLAMYDIA/N. GONORRHOEAE			TP
RNA, TMA			
CHLAMYDIA TRACHOMATIS			
RNA, TMA	NOT DETECTED	NOT DETECTED	
NEISSERIA GONORRHOEAE			
RNA, TMA	NOT DETECTED	NOT DETECTED	
<b>See Endnote 1</b>			
RPR (DX) W/REFL TITER AND			TP
CONFIRMATORY TESTING	NON-REACTIVE	NON-REACTIVE	

**Endnote 1** This test was performed using the APTIMA COMBO2 Assay (Gen-Probe Inc.).

The analytical performance characteristics of this assay, when used to test SurePath specimens have been determined by Quest Diagnostics.

CLIENT SERVICES: 866.697.8378

SPECIMEN: TM663086M

PAGE 1 OF 2

Quest, Quest Diagnostics, the associated logo and all associated Quest Diagnostics marks are the trademarks of Quest Diagnostics.



**Report Status: Final  
CHAVES, MARCELO**

Patient Information	Specimen Information	Client Information
<b>CHAVES, MARCELO</b> DOB: 01/03/1970 AGE: 45 Gender: M Patient ID: P6490271 Health ID: 8573014054907036	Specimen: TM663086M Collected: 07/29/2015 / 14:02 EDT Received: 07/30/2015 / 05:45 EDT Reported: 08/05/2015 / 02:14 EDT	Client #: 66007420 CUNNINGHAM, RUTHANN

Infectious Diseases			
Test Name	Result	Reference Range	Lab
HIV 1 RNA, QL TMA	Not Detected	Not Detected	AMD

This test was performed using the APTIMA(R) HIV-RNA Qualitative Assay (Gen-Probe).

HIV 1/2 ANTIGEN/ANTIBODY,FOURTH GENERATION W/RFL

HIV 1/2 ANTIGEN/ANTIBODY, FOURTH GENERATION W/RFL

TP

HIV AG/AB, 4TH GEN

NON-REACTIVE

NON-REACTIVE

A Nonreactive HIV Ag/Ab result does not exclude HIV infection since the time frame for seroconversion is variable. If acute HIV infection is suspected, a HIV-1 RNA Qualitative TMA test is recommended. PLEASE NOTE: This information has been disclosed to you from records whose confidentiality may be protected by state law. If your state requires such protection, then the state law prohibits you from making any further disclosure of the information without the specific written consent of the person to whom it pertains, or as otherwise permitted by law. A general authorization for the release of medical or other information is NOT sufficient for this purpose. The performance of this assay has not been clinically validated in patients less than 2 years old. For additional information please refer to <http://education.questdiagnostics.com/faq/FAQ106> (This link is being provided for informational/ educational purposes only.)

Physician Comments:

**PERFORMING SITE:**

AMD QUEST DIAGNOSTICS/NICHOLS CHANTILLY, 14225 NEWBROOK DRIVE, CHANTILLY, VA 20151-2228 Laboratory Director: PATRICK W. MASON,MD,PHD, CLIA: 49D0221801

TP QUEST DIAGNOSTICS-TAMPA, 4225 E. FOWLER AVE, TAMPA, FL 33617-2026 Laboratory Director: GLEN L HORTIN,MD,PHD, CLIA: 10D0291120

CLIENT SERVICES: 866.697.8378

SPECIMEN: TM663086M

Quest, Quest Diagnostics, the associated logo and all associated Quest Diagnostics marks are the trademarks of Quest Diagnostics.